## **Futtertype:**

Forkardt F250 F+250



HWR Spanntechnik GmbH

Lübkemannstr. 13 28876 Oyten Telefon 0 42 07 - 6887-0 Fax 0 42 07 - 6887-15 e-mail: info@spannbacken.de www.hwr-spanntechnik.de



Weich			Kreuzversa					
	В	Н	L	kg/Satz		Тур	Ident-Nr.	Werkstoff
	30	55	125	3,6		CU25	236008	C15
	40	60	90	3,9		CU251	237251	C15
	40	60	125	5,8		CU252	237252	C15
	40	80	125	7,5		CU253	237253	C15
	40	100	125	9,6		CU254	237254	C15
	40	125	125	12,0		CU255	237255	C15
	60	60	90	6,2		DP25	236009	C15
	80	60	90	8,5		CU257	237257	C15
	40	60	125	2,0		CW25	238003	Aluminium
Weich	e Segment	-Aufsatzb	acke mit Kı	reuzversatz	Ausf.			
H	170	64	89	20,0	- 1	CQ25	239003	C15
	170	64	89	8,4	- 1	HT25	240002	Aluminium
	Ø254	51	114		U	CF25	239103	C15



Aus

sführuna II	Gehärtete	Greiferspa	nnbacken,	Außenspannung
	В	Н	Т	ka/Satz

40	59	25	O,	•		
	bereich					
ø 42 - 1	173mm		2,4	LY30	250120	16MnCr5
ø 129 -	264mm		2,0	LY35	250125	16MnCr5



Gehärtete umkehrbare Aufsatzbacken

Gehärtete einteilige Stufenblockbacken

70

В

26

В	Н	L	T	Тур	Ident-Nr.	Werkstoff
30	55	90	14	GX25	249003	16MnCr5

Т

14











L

114

В			Н	L
26	ô		70	115
26	ŝ		100	115





Тур

FST25

Typ



Ident-Nr.


260025

Ident-Nr.

Werkstoff

Werkstoff

16MnCr5







Auflagebolzen					
	G	Н	SV		
	M6	5	10		
	M6	10	10		
	M6	15	10		

Н	SW	
5	10	
10	10	
15	10	
20	10	

Тур	Ident-
IT05	22900
IT10	22900

Ident-Nr.	Werkstoff
229004	C15
229005	C15
229006	C15
229007	C15





M6





**IT15** 

**IT20** 





**Gripper Hartmetall** 

Ausdrehvorichtung

Stangengreifer Reinigungsplatte

**Pendelbacken**